

=> d his



(FILE 'HOME' ENTERED AT 09:35:05 ON 18 APR 2005)

FILE 'CAPLUS' ENTERED AT 09:35:09 ON 18 APR 2005

L1	1682 S ?FLAVON? (L) ?ESTROGEN?
L2	29 S L1 AND BENZOPYRA?
L3	0 S L2 AND ?ISOSTER?
L4	2 S L1 AND ?ISOSTER?
L5	145 S ?ESTROGEN? AND BENZOPYRA?
L6	0 S L5 AND ?ISOSTER?
L7	51 S L5 AND P/DT
L8	5 S L7 AND PY<1991
L9	31 S L7 AND PY<2001
L10	20 S L9 AND US/PC
L11	0 S L5 AND (BENZOYPRAN? (5W) ON?)
L12	26 S L5 AND BENZOPYRANO?
L13	10 S L12 AND P/DT
L14	7 S L13 AND US/PC

L14 ANSWER 1 OF 7 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2004:392330 CAPLUS
 DN 140:391197
 TI Preparation of **benzopyranone** compounds for modulating
estrogen receptor expression
 IN Renaud, Johanne; Missbach, Martin; McKie, Jeffrey A.; Bhagwat, Shripad S.
 PA Switz.
 SO U.S. Pat. Appl. Publ., 26 pp., Cont.-in-part of U.S. Ser. No. 125,965.
 CODEN: USXXCO
 DT **Patent**
 LA English
 FAN.CNT 3

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2004092572	A1	20040513	US 2003-412997	20030414 <--
	US 6620838	B1	20030916	US 2002-125965	20020419 <--
	CA 2482986	AA	20031030	CA 2003-2482986	20030418
	WO 2003089422	A1	20031030	WO 2003-US12283	20030418
	W:				
	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,				
	CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,				
	GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,				
	LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH,				
	PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ,				
	UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW:				
	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,				
	KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES,				
	FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR,				
	BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	EP 1497277	A1	20050119	EP 2003-733871	20030418
	R:				
	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,				
	IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
PRAI	US 2002-125965	A2	20020419		
	US 2003-412997	A	20030414		
	WO 2003-US12283	W	20030418		
OS	MARPAT 140:391197				
GI					



AB **Benzopyranone** compds. of formula I [R = H, acyl, etc.; X = H, halo, CF₃; Y = halo, CF₃; n = 2-4] are prepared for modulating gene expression in a cell expressing **estrogen** receptor (ER). The compds. of formula I wherein R is H can be prepared by demethylation of the corresponding phenolic Me ether. The compds. are useful for treating a bone-resorbing disease, cancer, arthritis or an **estrogen**-related condition such as breast cancer, osteoporosis, endometriosis, cardiovascular disease, hypercholesterolemia, prostatic hypertrophy, prostatic carcinomas, obesity, hot flashes, skin effects, mood swings, memory loss, and adverse reproductive effects associated with exposure to environmental chems. or natural hormonal imbalances. Thus, II was prepared from (2-chloro-4-trifluoromethylphenyl)acetic acid, 1-(2-hydroxy-4-methoxyphenyl)-2-(4-hydroxyphenyl)ethan-1-one and 1-(2-chloroethyl)pyrrolidine hydrochloride. The IC₅₀ of II against MCF-7 breast cancer cell was 4.5 nM.

L14 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2005 ACS on STM

AN 2003:855919 CAPLUS

DN 139:350634

TI Preparation of **benzopyranone** compounds as inhibitors of interleukin 6 release, antitumor agents, etc.

IN McKie, Jeffrey A.; Bhagwat, Shripad S.; Renaud, Johanne; Missbach, Martin

PA Signal Pharmaceuticals, Inc., USA; Novartis A.-G.

SO PCT Int. Appl., 63 pp.


CODEN: PIXXD2

DT **Patent**

LA English

FAN.CNT 3

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003089422	A1	20031030	WO 2003-US12283	20030418
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	US 6620838	B1	20030916	US 2002-125965	20020419 <--
	US 2004092572	A1	20040513	US 2003-412997	20030414 <--
	CA 2482986	AA	20031030	CA 2003-2482986	20030418
	EP 1497277	A1	20050119	EP 2003-733871	20030418
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
PRAI	US 2002-125965	A	20020419		
	US 2003-412997	A	20030414		
	WO 2003-US12283	W	20030418		
OS	MARPAT 139:350634				
GI					



AB The title compds. I [A = (CH₂)_n; n = 2 to 4; R₁ = H, COR₂, etc.; R₂ = alkyl, etc.; X = H, halo, etc.; Y = halo, etc.] are prepared I are useful for treating a bone-resorbing disease, cancer, arthritis or an **estrogen**-related condition such as breast cancer, osteoporosis, endometriosis, cardiovascular disease, hypercholesterolemia, prostatic hypertrophy, prostatic carcinomas, obesity, hot flashes, skin effects, mood swings, memory loss, and adverse reproductive effects associated with exposure to environmental chems. or natural hormonal imbalances. Compds. of this invention inhibit both MCF-7 breast cancer and BG-1 ovarian carcinoma cell proliferation; they showed IC₅₀ values of 1.4 nM to 13.6 nM against BG-1 ovarian carcinoma cells and IC₅₀ values of 3 nM to 13.6 nM against MCF-7 breast cancer cells.

RE.CNT 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L14 ANSWER 3 OF 7 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2003:730534 CAPLUS

DN 139:261167

TI Preparation of **benzopyranones** for inhibiting interleukin-6

IN Mckie, Jeffrey A.; Bhagwat, Shripad S.; Renaud, Johanne; Missbach, Martin

PA Signal Pharmaceuticals, Inc., USA

SO U.S., 21 pp.

CODEN: USXXAM


DT **Patent**

LA English

FAN.CNT 3

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 6620838	B1	20030916	US 2002-125965	20020419 <--
	US 2004092572	A1	20040513	US 2003-412997	20030414 <--
	CA 2482986	AA	20031030	CA 2003-2482986	20030418
	WO 2003089422	A1	20031030	WO 2003-US12283	20030418
	W:				
	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW:				
	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	EP 1497277	A1	20050119	EP 2003-733871	20030418
	R:				
	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
PRAI	US 2002-125965	A2	20020419		
	US 2003-412997	A	20030414		
	WO 2003-US12283	W	20030418		
OS	MARPAT 139:261167				

GI



I

AB The title **benzopyranones** [I; n = 2-4; R1 = H, COR2, CO2R2, etc.; R2 = alkyl, aryl, arylalkyl, etc.; X = H, halo, CF3; Y = halo, CF3], useful for treating a bone-resorbing disease, cancer, arthritis or an **estrogen**-related condition such as breast cancer, osteoporosis and endometriosis, were prepared E.g., a 4-step synthesis of I [n = 2; R1 = H; X = Cl; Y = CF3] (starting from tert-Bu acetate and 3-chloro-4-iodobenzotrifluoride) which showed IC50 of 0.4 nM against IL-6, was given. The compds. I, wherein R1 = H, can be prepared by demethylation of the corresponding phenolic Me ether. Pharmaceutical composition comprising the compound I was claimed.

RE.CNT 87 THERE ARE 87 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L14 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2005 ACS on STN

AN 1997:809720 CAPLUS

DN 128:61504

TI Preparation of chromenoquinoline derivatives and analogs as steroid receptor modulator compounds and methods of their use

IN Jones, Todd K.; Zhi, Lin; Edwards, James P.; Tegley, Christopher M.; West, Sarah J.

PA Ligand Pharmaceuticals Inc., USA

SO U.S., 129 pp., Cont.-in-part of U.S. Ser. No. 363,127, abandoned.

CODEN: USXXAM


DT **Patent**

LA English


FAN.CNT 12

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 5696127	A	19971209	US 1995-465429	19950605 <--
	CA 2208347	AA	19960627	CA 1995-2208347	19951213
	WO 9619458	A2	19960627	WO 1995-US16096	19951213
	WO 9619458	A3	19961212		
	W: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TT				
	RW: KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
	AU 9645977	A1	19960710	AU 1996-45977	19951213
	AU 717251	B2	20000323		
	EP 800519	A1	19971015	EP 1995-944089	19951213
	EP 800519	B1	20031022		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE				
	CN 1175247	A	19980304	CN 1995-197702	19951213
	BR 9510486	A	19980602	BR 1995-10486	19951213


HU 78117	A2	19991129	HU 1997-2305	19951213
EP 1041071	A1	20001004	EP 2000-113914	19951213
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE				
EP 1041066	A1	20001004	EP 2000-113915	19951213
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE				
EP 1043325	A1	20001011	EP 2000-113829	19951213
EP 1043325	B1	20040616		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE				
EP 1043326	A1	20001011	EP 2000-113830	19951213
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE				
EP 1043315	A1	20001011	EP 2000-113916	19951213
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE				
RU 2191774	C2	20021027	RU 1997-112141	19951213
AT 252560	E	20031115	AT 1995-944089	19951213
EP 1382597	A2	20040121	EP 2003-23907	19951213
EP 1382597	A3	20040407		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE				
PT 800519	T	20040331	PT 1995-944089	19951213
AT 269336	E	20040715	AT 2000-113829	19951213
NO 9702591	A	19970814	NO 1997-2591	19970606
NO 310617	B1	20010730		
US 6448405	B1	20020910	US 1997-947428	19971008 <--
AU 762398	B2	20030626	AU 2000-27761	20000414
NO 2000003550	A	19970814	NO 2000-3550	20000710
NO 2000003551	A	19970814	NO 2000-3551	20000710
NO 312098	B1	19970814		
NO 2000003552	A	19970814	NO 2000-3552	20000710
NO 313049	B1	20020814		
PRAI US 1994-363529	B2	19941222		
US 1995-462643	A	19950605		
US 1995-463231	A	19950605		
US 1995-464360	A	19950605		
US 1995-464514	A	19950605		
US 1995-464541	A	19950605		
US 1995-464546	A	19950605		
US 1995-465429	A	19950605		
US 1995-465556	A	19950605		
AU 1996-45977	A3	19951213		
EP 1995-944089	A3	19951213		
WO 1995-US16096	W	19951213		
OS MARPAT 128:61504				
GI				




I



II



III



IV


AB Non-steroidal title compds. I-III and analogs (3 addnl. claimed Markush structures) are disclosed [wherein R3 = H, C1-4 alkyl or perfluoroalkyl, CH₂OH, aryl, heteroaryl, or (un)substituted allyl, arylmethyl, alkynyl, or alkenyl; R5-R6 = H, F, Cl, Br, iodo, NO₂, CO₂H, CO₂R₂, COR₂, cyano, CF₃, CH₂OH, C1-4 alkyl or perfluoroalkyl, OR₂, SR₂, SOR₂, SO₂R₂, SO₃H, S(NR₂R₇)R₂, S(O)(NR₂R₇)R₂, NR₂R₇, aryl, heteroaryl, etc.; wherein R2 = H, C1-4 alkyl or perfluoroalkyl, aryl, heteroaryl, or (un)substituted allyl, arylmethyl, alkynyl, or alkenyl; R7 = H, C1-4 alkyl or perfluoroalkyl, aryl, heteroaryl, or (un)substituted allyl, arylmethyl, NHR₈, or OR₈; R8 = H, C1-6 alkyl or perfluoroalkyl, aryl, heteroaryl, (un)substituted allyl or arylmethyl, SO₂R₂, SOR₂; R9, R10 = H, C1-6 alkyl or perfluoroalkyl, aryl, heteroaryl, (un)substituted allyl, arylmethyl, alkynyl, or alkenyl; or R9 and R10 form a 3- to 7-membered ring optionally substituted with F, OR₂, or NR₂R₇; R11-R14 = H, F, Cl, Br, iodo, NO₂, CO₂H, CO₂R₂, COR₂, cyano, CF₃, CH₂OH, C1-4 alkyl or perfluoroalkyl, OR₂, SR₂, SOR₂, SO₂R₂, SO₃H, S(NR₂R₇)R₂, SO(NR₂R₇)R₂, NR₂R₇, aryl, heteroaryl, or (un)substituted allyl, arylmethyl, alkynyl, or alkenyl; X = CH₂, O, S, NR₇; R16 = H, OH, OR₁₇, SR₁₇, NR₂R₇, (un)substituted allyl, etc., or alkyl; R17 = alkyl, etc.; R21, R30, R31 = H, C1-4 alkyl, etc.]. The compds. are high-affinity, high-selectivity modulators of steroid receptors, and in particular are agonists or antagonists of progesterone receptors, or antagonists of glucocorticoid receptors. Also disclosed are pharmaceutical compns. incorporating the compds., which are effective in female hormone replacement, modulating human fertility, or treating dysfunctional uterine bleeding, endometriosis, leiomyomas, osteoporosis, cancer of the breast or ovaries, or endometrial cancer; methods for employing the disclosed compds. and compns. for treating patients requiring progesterone receptor agonist or antagonist therapy; intermediates useful in the preparation of the compds., and processes for their preparation. As glucocorticoid antagonists, some compds. are useful for modulating carbohydrate, protein, and lipid metabolism, as well as functioning of the cardiovascular, kidney, central nervous, immune, and musculo-skeletal systems. Over 350 synthetic examples are given. For instance, title compound IV was prepared in 20% yield from a corresponding coumarinoquinoline derivative by reaction of the coumarin lactone function with MeLi, and reduction of the resulting hemiacetal intermediate with Et₃SiH and either BF₃·OEt₂ or CF₃CO₂H. Selected compds. were tested in vitro and/or in vivo for activity at progesterone, androgen, **estrogen**,

glucocorticoid and mineralocorticoid receptors. In a test for agonist activity at progesterone receptors expressed in CV-1 cells, IV had an efficacy (maximum response) of 138% vs. progesterone, with comparable potency. Five pharmaceutical formulations are described.


L14 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1997:772298 CAPLUS
 DN 128:61502
 TI Preparation of chromenoquinoline derivatives and analogs as steroid receptor modulator compounds and methods
 IN Jones, Todd K.; Tegley, Christopher M.; Zhi, Lin; Edwards, James P.; West, Sarah J.
 PA Ligand Pharmaceuticals Inc., USA
 SO U.S., 128 pp., Cont.-in-part of U.S. Ser. No. 363,529, abandoned.
 CODEN: USXXAM
 DT Patent
 LA English
 FAN.CNT 12

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 5693646	A	19971202	US 1995-464360	19950605 <--
	CA 2208347	AA	19960627	CA 1995-2208347	19951213
	WO 9619458	A2	19960627	WO 1995-US16096	19951213
	WO 9619458	A3	19961212		
	W: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TT				
	RW: KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
	AU 9645977	A1	19960710	AU 1996-45977	19951213
	AU 717251	B2	20000323		
	EP 800519	A1	19971015	EP 1995-944089	19951213
	EP 800519	B1	20031022		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE				
	CN 1175247	A	19980304	CN 1995-197702	19951213
	BR 9510486	A	19980602	BR 1995-10486	19951213
	HU 78117	A2	19991129	HU 1997-2305	19951213
	EP 1041071	A1	20001004	EP 2000-113914	19951213
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE				
	EP 1041066	A1	20001004	EP 2000-113915	19951213
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE				
	EP 1043325	A1	20001011	EP 2000-113829	19951213
	EP 1043325	B1	20040616		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE				
	EP 1043326	A1	20001011	EP 2000-113830	19951213
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE				
	EP 1043315	A1	20001011	EP 2000-113916	19951213
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE				
	RU 2191774	C2	20021027	RU 1997-112141	19951213
	AT 252560	E	20031115	AT 1995-944089	19951213
	EP 1382597	A2	20040121	EP 2003-23907	19951213
	EP 1382597	A3	20040407		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE				
	PT 800519	T	20040331	PT 1995-944089	19951213
	ES 2208699	T3	20040616	ES 1995-944089	19951213
	AT 269336	E	20040715	AT 2000-113829	19951213
	NO 9702591	A	19970814	NO 1997-2591	19970606
	NO 310617	B1	20010730		
	US 5994544	A	19991130	US 1997-947413	19971008 <--
	AU 762398	B2	20030626	AU 2000-27761	20000414
	NO 2000003550	A	19970814	NO 2000-3550	20000710


	NO 2000003551	A	19970814	NO 2000-3551	20000710
	NO 312098	B1	19970814		
	NO 2000003552	A	19970814	NO 2000-3552	20000710
	NO 313049	B1	20020814		
PRAI	US 1994-363529	B2	19941222		
	US 1995-462643	A	19950605		
	US 1995-463231	A	19950605		
	US 1995-464360	A	19950605		
	US 1995-464514	A	19950605		
	US 1995-464541	A	19950605		
	US 1995-464546	A	19950605		
	US 1995-465429	A	19950605		
	US 1995-465556	A	19950605		
	AU 1996-45977	A3	19951213		
	EP 1995-944089	A3	19951213		
	WO 1995-US16096	W	19951213		
OS	MARPAT 128:61502				
GI					




I



II



III



IV

AB Non-steroidal title compds. I-III and analogs are disclosed [wherein R3 = H, C1-4 alkyl or perfluoroalkyl, CH2OH, aryl, heteroaryl, or (un)substituted allyl, arylmethyl, alkynyl, or alkenyl; R5-R6 = H, F, Cl, Br, iodo, NO2, CO2H, CO2R2, COR2, cyano, CF3, CH2OH, C1-4 alkyl or perfluoroalkyl, OR2, SR2, SOR2, SO2R2, SO3H, S(NR2R7)R2, S(O)(NR2R7)R2, NR2R7, aryl, heteroaryl, etc.; wherein R2 = H, C1-4 alkyl or perfluoroalkyl, aryl, heteroaryl, or (un)substituted allyl, arylmethyl, alkynyl, or alkenyl; R7 = H, C1-4 alkyl or perfluoroalkyl, aryl, heteroaryl, or (un)substituted allyl, arylmethyl, NHR8, or OR8; R8 = H, C1-6 alkyl or perfluoroalkyl, aryl, heteroaryl, (un)substituted allyl or arylmethyl, SO2R2, SOR2; R9, R10 = H, C1-6 alkyl or perfluoroalkyl, aryl, heteroaryl, (un)substituted allyl, arylmethyl, alkynyl, or alkenyl; or R9 and R10 form a 3- to 7-membered ring optionally substituted with F, OR2,

or NR2R7; R11-R14 = H, F, Cl, Br, iodo, NO2, CO2H, CO2R2, COR2, cyano, CF3, CH2OH, C1-4 alkyl or perfluoroalkyl, OR2, SR2, SOR2, SO2R2, SO3H, S(NR2R7)R2, SO(NR2R7)R2, NR2R7, aryl, heteroaryl, or (un)substituted allyl, arylmethyl, alkynyl, or alkenyl; X = CH2, O, S, NR7; R20 = C1-6 alkyl, (un)substituted allyl, arylmethyl, alkenyl, aryl, or heteroaryl; R21 = H, C1-4 alkyl, (un)substituted allyl, arylmethyl, aryl, or heteroaryl; R30, R31 = H, C1-6 alkyl, etc.]. The compds. are high-affinity, high-selectivity modulators of steroid receptors, and in particular are agonists or antagonists of progesterone receptors. Also disclosed are pharmaceutical compns. incorporating the compds., which are effective in female hormone replacement, modulating human fertility, or treating dysfunctional uterine bleeding, endometriosis, leiomyomas, osteoporosis, cancer of the breast or ovaries, or endometrial cancer; methods for employing the disclosed compds. and compns. for treating patients requiring progesterone receptor agonist or antagonist therapy, and intermediates and processes useful in the preparation of the compds. Over 350 synthetic examples are given. For instance, title compound IV was prepared in 70% yield by Grignard reaction of 2-MeC6H4CH2MgCl with the corresponding coumarinoquinoline in Et2O, followed by acid-catalyzed dehydration of the product lactol using p-MeC6H4SO3H in CH2Cl2. Selected compds. were tested in vitro and in vivo for activity at progesterone, androgen, **estrogen**, glucocorticoid, and mineralocorticoid receptors. In a test for agonist activity at progesterone receptors expressed in CV-1 cells, IV had an efficacy (maximum response) of 231% vs. progesterone, and an equivalent potency (EC50) of 4 nM. Five pharmaceutical formulations are described.


L14 ANSWER 6 OF 7 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1995:708473 CAPLUS
 DN 123:83209
 TI Anti-**estrogenic** compounds and compositions
 IN Labrie, Fernand; Merand, Yves
 PA Endorecherche Inc., Can.
 SO U.S., 72 pp. Cont.-in-part of U.S. Ser. No. 265,150, abandoned.
 CODEN: USXXAM

DT **Patent**
 LA English

FAN. CNT 8

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 5395842	A	19950307	US 1991-801704	19911202 <--
	HU 52114	A2	19900628	HU 1989-5469	19891027
	HU 208150	B	19930830		
	JP 2000256390	A2	20000919	JP 2000-62592	19891031
	US 5393785	A	19950228	US 1992-913746	19920714 <--
	WO 9310741	A2	19930610	WO 1992-CA518	19921201
	WO 9310741	A3	19940203		
	W: AU, BB, BG, BR, CA, CS, FI, HU, JP, KP, KR, LK, MG, MN, MW, NO, NZ, PL, PT, RO, RU, SD				
	RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, SN, TD, TG				
	AU 9229393	A1	19930628	AU 1992-29393	19921201
	AU 681338	B2	19970828		
	ZA 9209309	A	19940601	ZA 1992-9309	19921201
	EP 615448	A1	19940921	EP 1992-923641	19921201
	EP 615448	B1	20020502		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, SE				
	RU 2142945	C1	19991220	RU 1994-31127	19921201
	IL 103941	A1	20000726	IL 1992-103941	19921201
	JP 2002060384	A2	20020226	JP 2001-207820	19921201
	AT 216880	E	20020515	AT 1992-923641	19921201
	ES 2176190	T3	20021201	ES 1992-923641	19921201
	US 5631249	A	19970520	US 1993-17045	19930212 <--

NO 9402027	A	19940704	NO 1994-2027	19940601
NO 315234	B1	20030804		
FI 9402568	A	19940727	FI 1994-2568	19940601
US 5840735	A	19981124	US 1994-285354	19940803 <--
US 6060503	A	20000509	US 1995-388207	19950221 <--
US 5686437	A	19971111	US 1995-475710	19950607 <--
US 5686465	A	19971111	US 1995-485739	19950607 <--
AU 9746772	A1	19980219	AU 1997-46772	19971128
JP 10273479	A2	19981013	JP 1998-10654	19980122
JP 3273010	B2	20020408		
AU 760232	B2	20030508	AU 2000-20637	20000303
AU 762751	B2	20030703	AU 2000-34056	20000512
AU 2000034056	A5	20000720		
PRAI US 1988-265150	B2	19881031		
US 1989-377010	B2	19890707		
US 1988-265716	A	19881101		
US 1989-322154	A	19890310		
JP 1989-286010	A3	19891031		
US 1991-801704	A	19911202		
US 1992-917915	A3	19920719		
JP 1993-509666	A3	19921201		
JP 1998-10654	A3	19921201		
WO 1992-CA518	A	19921201		
US 1993-17045	A3	19930212		
US 1994-285354	A2	19940803		
AU 1996-46606	A3	19960220		
AU 1997-46772	A3	19971128		
OS MARPAT 123:83209				
GI				



AB Title compds. I [Z = alkylene, haloalkylene, oxaalkylene, thiaalkylene, azaalkylene; R1 = substituted phenylene; R2, R4 = H, OH, protected OH; R3 = H, aliphatic] and their 3,4-dihydro derivs. and pharmaceutical compns. containing them were prepared. Such pharmaceutical compns. are useful for the treatment of breast cancer or other diseases whose progress is aided by activation of sex steroid receptors. Thus, I [Z = O, R1 = 4-(2-piperidinoethoxy)phenyl, R2, R4 = OH, R3 = Me, II] was prepared from 2,4-(MeO)2C6H3COCl in 9 steps. II had an ED50 for inhibition of ZR-75-1 cells of 2.55X10⁻¹⁰ M.

L14 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2005 ACS on STN

AN 1994:77518 CAPLUS

DN 120:77518

TI Sex steroid activity inhibitors

IN Labrie, Fernand; Merand, Yves

PA Endorecherche Inc., Can.

SO PCT Int. Appl., 227 pp.

CODEN: PIXXD2

DT **Patent**

LA English

FAN.CNT 8

PATENT NO.

KIND

DATE

APPLICATION NO.

DATE

PI	WO 9310741	A2	19930610	WO 1992-CA518	19921201
	WO 9310741	A3	19940203		
	W: AU, BB, BG, BR, CA, CS, FI, HU, JP, KP, KR, LK, MG, MN, MW, NO, NZ, PL, PT, RO, RU, SD				
	RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, SN, TD, TG				
	US 5395842	A	19950307	US 1991-801704	19911202 <--
	AU 9229393	A1	19930628	AU 1992-29393	19921201
	AU 681338	B2	19970828		
	EP 615448	A1	19940921	EP 1992-923641	19921201
	EP 615448	B1	20020502		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, SE				
	RU 2142945	C1	19991220	RU 1994-31127	19921201
	AT 216880	E	20020515	AT 1992-923641	19921201
	NO 9402027	A	19940704	NO 1994-2027	19940601
	NO 315234	B1	20030804		
	FI 9402568	A	19940727	FI 1994-2568	19940601
	AU 760232	B2	20030508	AU 2000-20637	20000303
	AU 762751	B2	20030703	AU 2000-34056	20000512
	AU 2000034056	A5	20000720		
PRAI	US 1991-801704	A	19911202		
	US 1988-265150	B2	19881031		
	US 1989-377010	B2	19890707		
	WO 1992-CA518	A	19921201		
	AU 1996-46606	A3	19960220		
	AU 1997-46772	A3	19971128		
OS	MARPAT 120:77518				
GI					

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB Various steroidal and nonsteroidal (diphenylethylene-based) **antiestrogens** were prepared and/or tested. Pharmaceutical compns. containing various groups and representatives of nonsteroidal compds. are claimed. Included in the disclosure are compds. I [x = 0-6; L and/or G is a polar moiety separated from the B ring by ≥ 3 intervening atoms; R1, R2 = bond, alkylene, alkenylene, alkynylene, C6H4, or fluoro analogs of these; B = bond, O, S, Se, SO, SO2, NH, CH(OH), NHCO, OCO, CO2, C6H4, etc.; LG may form N-containing heterocyclic ring; or L = various bivalent groups, mostly CO- or C(S)-based; or G = H, alkenyl, alkynyl, (un)substituted alkyl; Z = alkylene, haloalkylene, (CH2)nO, (CH2)nS, (CH2)nCO, etc.; n = 0-3; R3, R10 = H, OH, halo, alkyl, alkoxy, etc.; R6 = H, alkyl, alkenyl, alkynyl]. For example, compound II was prepared and was 3-fold more active against ZR-75-1 breast cancer cells than its known analog lacking the B-ring Me group. Estradiol derivative III was also prepared and found to act as an **antiestrogen** and an inhibitor of 17 β -hydroxy steroid dehydrogenase.